

## DSP3010H 200W

### All-Weather Compact Coaxial Horn Loudspeaker



#### Description

The DSP3010H is a compact, coaxial-driver, 2-way, highly weather-resistant PA loudspeaker system which is ideal for speech and music-fill in a wide variety of applications, including sports facilities, racetracks, stadiums, fairgrounds, rodeos, skating rinks, themed entertainment venues, cruise ships, water parks, outdoor background music/paging systems, swimming pools, and a wide variety of other outdoor or indoor venue types.

#### Features


- Water resistance: high-strength ABS material appearance, aluminum mesh.
- High-quality sound, beautiful music, coaxial-driver design, 2-way speaker.
- Long transmission distance, small size, loud and clear speaker, Peak power: 300W, sound beam angle: <math><90-100^\circ</math>.

#### Specifications



Model		DSP3010H
Rated Power		200W
Power Adjustment	70V	12.5W-25W-50W-100W-200W
	100V	25W-50W-100W-200W
	8Ω	200W
Peak Power		300W
Sensitivity(dB)		93±3dB
Freq. Response (Hz)		85Hz-15kHz
Max. SPL		117±3dB

Coverage Angel (1KHz/-6dB)	90-100°
Dimension(H*W*D)	300×340×335mm
Net Weight	13.5kg
Color	Black


## Product Information



## Connection Diagram




Freq. Response




Distortion

## Installation Step


1. Mounting the stable bracket



2. Remove the screws on the horn box for spare use and remove the waterproof seal cover. Connect with the wiring diagram according to the customer's needs, and tighten the seal cover after connection.



3. Combine the horn speaker with the wall bracket



4. Please confirm the mounting stable.

