

Manual Supplement

Manual Title: 116C Users
Part Number: 2538707
Print Date: July 2006
Revision/Date: 1, 2/07

Supplement Issue: **2**
Issue Date: 4/13
Page Count: 2

Change #1


On page 2, under **Safety Information**:

Change: **Do not use the Meter around explosive gas or vapor.**

To: **Do not use the Product around explosive gas, vapor, or in damp or wet environments.**

Change # 2, 63351, 65311

On page 3, add the following to the Symbols table:

	Conforms to relevant South Korean EMC Standards
CAT III	Measurement Category III is applicable to test and measuring circuits connected to the distribution part of the building's low-voltage MAINS installation.

CAT IV	Measurement Category IV is applicable to test and measuring circuits connected at the source of the building's low-voltage MAINS installation.
--------	--

On pages 18 and 19, remove **Surge Protection, Safety Compliance, Certifications** and **IP Rating** and add:

Safety	IEC 61010-1: 600 V CAT III, Pollution Degree 2
Electromagnetic Environment	IEC 61326-1: Portable
Electromagnetic Compatibility	Applies to use in Korea only. Class A Equipment (Industrial Broadcasting & Communication Equipment) ^[1]

[1] This product meets requirements for industrial (Class A) electromagnetic wave equipment and the seller or user should take notice of it. This equipment is intended for use in business environments and is not to be used in homes.