



BI-METAL HOLE SAWS

Made from hardened heat resistant HSS with alloy backing, these hole saws are strong and shatter resistant. They provide a smoother, faster cut on wood, steel and metal.



PRT No	Description	PKT QTY	CRTN QTY
HS5/8CL	16mm	20	200
HS17C	17mm	20	200
HS19C	19mm	20	200
HS20C	20mm	20	200
HS21C	21mm	20	200
HS22C	22mm	20	200
HS24C	24mm	20	200
HS25C	25mm	20	200
HS27C	27mm	20	100
HS29C	29mm	20	100
HS30C	30mm	20	100
HS32C	32mm	20	100
HS33C	33mm	20	100
HS35C	35mm	20	100
HS37C	37mm	16	96
HS38C	38mm	16	96



BI-METAL HOLE SAWS



PRT No	Description	PKT QTY	CRTN QTY
HS40C	40mm	16	96
HS41C	41mm	16	96
HS43C	43mm	16	96
HS44C	44mm	16	96
HS46C	46mm	12	96
HS48C	48mm	12	96
HS51C	51mm	12	96
HS52C	52mm	12	96
HS54C	54mm	12	96
HS56C	56mm	12	96
HS57C	57mm	12	96
HS59C	59mm	12	96
HS60C	60mm	12	96
HS64C	64mm	8	40
HS65C	65mm	8	40
HS67C	67mm	8	40



BI-METAL HOLE SAWS



PRT No	Description	PKT QTY	CRTN QTY
HS68C	68mm	8	40
HS70C	70mm	8	40
HS73C	73mm	8	40
HS76C	76mm	8	40
HS79C	79mm	8	40
HS83C	83mm	1	20
HS86C	86mm	1	20
HS89C	89mm	1	20
HS95C	95mm	1	20
HS98C	98mm	1	20
HS102C	102mm	1	20
HS108C	108mm	1	20
HS114C	114mm	1	20
HS121C	121mm	1	20
HS127C	127mm	1	20
HS152C	152mm	1	20